
DS-CD series

# **Deako Smart Dimmers**

Smart dimmer family



All Deako Smart Dimmers are a great addition to any home. Control the ambiance of your dining room or TV room, use in bathrooms to avoid blinding yourself with bright vanities, or in bedrooms to help ease into sleep. Pair your Smart Dimmer with the free Deako mobile app to create schedules, timers, and more.

#### **Features**

- Rocker-style dimming with 7 LED indicators of dim level
- Adjustable trim through the Deako App for Android and iOS
- Programmable with Deako App for Android and iOS
- California Title 24 compliant

#### **Single-Pole Smart Dimmer**

Designed to be used in situations where one switch controls one light.

#### **Master Smart Dimmer**

Designed to be used alongside one or more Remote Smart Dimmers in situations where two or more switches control the same light.

#### **Remote Smart Dimmer**

Designed to be used alongside a Master Smart Dimmer in situations where two or more switches control the same light.



DS-CD series

# **Specifications**

	Master Smart Dimmer	Remote Smart Dimmer	Single Pole Smart Dimmer	
SKU	DS-CD3M-WHMC-UCV	DS-CDRM-WHMC-UCV	DS-CD1M-WHMC-UCV	
Dimensions (H x W x D)	1.77" X 1.70" X 3.80"			
Weight	3.7 oz			
Compatibility	Single pole, 3-way or 4-way circuits*	3-way or 4-way circuits*	Single pole circuits	
	Deako Faceplate DS-FP series			
	Deako Backplate DS-BP series			
	Neutral wire required			
Supported Currents & Load Types	Incandescent / halogen 300W			
	LED/ELV 150W			
Maximum dimmable load	300W			
Minimum dimmable load	10W			
Regulatory Approvals	cULus Listed (UL1472)			
Environment	Indoor use only			
Operating temperature range	0°C to 40°C (32°F to 104°F)			
Color	White			
Warranty	1-year			
Vertical Markets	Residential			
	Multiple dwellings			
	Hospitality / lodging			

<sup>\*</sup>For 3-way and 4-way circuits, 1 Master Smart Dimmer is required and 1 Remote Smart Dimmer is required for each other switch in the circuit



## Also Available in the Deako Switch Family

- Simple Ceiling Fan Controller
- Simple Motion Switch
- Simple Dimmer
- Simple Timer Switch
- Simple Astronomical Timer Switch
- Simple Night Light Switch
- Smart Switch
- Smart Scene Controller Switch
- Smart Scene Controller Dimmer
- Smart Plug

## **Compatible Maxim Lights**

- 57413WTWT
- 57692WTWT
- 57931WTWT
- 57690WTBK

Date	Notes
Job location	
Approved by	
Job no. / type	

